



We create chemistry


Southeastern US Regional Turf Spray Program

Bermudagrass and Zoysiagrass – Dormant Warm Season Grasses

With this geography-specific spray program, superintendents have a customized rotation management plan for disease control. Be sure and include these important rotations in your plan and have strong, resilient turf all year long.

- Intrinsic® brand fungicides provide a strong foundation of plant health benefits, including broad-spectrum disease control, stronger roots and higher stress tolerance.
- The turf-safe Maxtima® fungicide is a DMI that delivers long-lasting disease control of key diseases at any temperature for rotation flexibility and year-round confidence.
- The broad-spectrum DMI power of Navicon® Intrinsic® brand fungicide controls more than 20 major diseases while improving overall turf health from root to blade.

Learn how to create impressive playing conditions on your course at betterturf.basf.com



Southeastern US Bermudagrass and Zoysiagrass

Alabama, Georgia, Mississippi, North Carolina,
South Carolina and Tennessee

This temperate climate offers optimum growing conditions for bermudagrass six months of the year or longer. The spring and late fall tend to remain temperate, with tropical storms influencing clouds and wetness in the fall. Night temperatures can drop below freezing for short periods during winter, particularly in January and February. Long cool springs can delay green-up, making turfgrass more susceptible to disease.

14-28
day program



Timing	Product	Active Ingredient	Rate/1,000 sq. ft.	Key Diseases & Benefits
1 Feb	Encartis™ fungicide	boscalid + chlorothalonil	4.0 fl oz	Algae, leaf spots, Microdochium patch
	26GT® fungicide	iprodione	SLR ¹ (Standard Local Rate)	
2 Mar	Lexicon® Intrinsic® brand fungicide	pyraclostrobin + fluxapyroxad	0.47 fl oz (water-in ²)	Fairy ring, take-all root rot
3 Apr	Xzemplar® fungicide	fluxapyroxad	0.26 fl oz (water-in)	Fairy ring, leaf spots, mini ring
	Signature XTRA Stressgard fungicide + Daconil® WeatherStik® fungicide	fosetyl-Al (aluminum-tris) + chlorothalonil	SLR	
4 May	Navicon® Intrinsic brand fungicide	pyraclostrobin + mefentrifluconazole	0.85 fl oz (water-in)	Fairy ring, leaf spots, mini ring <i>Pythium</i> (as needed)
	Segway® fungicide	cyazofamid	SLR	
5 Jun	Lexicon Intrinsic brand fungicide	pyraclostrobin + fluxapyroxad	0.47 fl oz (water-in)	Fairy ring, leaf spots, mini ring, summer stress
6 Jul	Xzemplar fungicide	fluxapyroxad	0.26 fl oz (water-in)	Fairy ring, leaf spots, mini ring
	Medallion® fungicide + Daconil WeatherStik fungicide	fludioxonil + chlorothalonil	SLR	
7 Aug	Encartis fungicide	boscalid + chlorothalonil	4.0 fl oz	Algae, leaf spots, tropical weather protection
	Fore® 80WP Rainshield® specialty fungicide	mancozeb	SLR	
8 Sept	Navicon Intrinsic brand fungicide	pyraclostrobin + mefentrifluconazole	0.85 fl oz (water-in)	Leaf spots, spring dead spot, take-all root rot, tropical weather protection
	Signature XTRA Stressgard fungicide + Daconil WeatherStik fungicide	fosetyl-Al (aluminum-tris) + chlorothalonil	SLR	
9 Oct	Navicon Intrinsic brand fungicide	pyraclostrobin + mefentrifluconazole	0.85 fl oz (water-in)	Large patch, spring dead spot, take-all root rot
	Signature XTRA Stressgard fungicide + Daconil WeatherStik fungicide	fosetyl-Al (aluminum-tris) + chlorothalonil	SLR	
10 Nov	Lexicon Intrinsic brand fungicide	pyraclostrobin + fluxapyroxad	0.47 fl oz (water-in)	Large patch, spring dead spot, take-all root rot, winter protection
	Signature XTRA Stressgard fungicide + 26GT fungicide	fosetyl-Al (aluminum-tris) + iprodione	SLR	
11 Dec	Signature XTRA Stressgard fungicide + 26GT fungicide Segway fungicide	fosetyl-Al (aluminum-tris) + iprodione cyazofamid	SLR SLR	Leaf spots, Microdochium Patch <i>Pythium</i> (as needed)

Multiple products listed per month are meant to be a rotational option to control additional disease pressure that may occur.

¹ Standard local rate for the products shown; consult label and/or local extension for regional recommendations

² Recommended application spray volume is 2-4 gallons/1000ft². Provide 1/4" irrigation post application. To improve hydrophobic conditions and improve fungicide efficacy, BASF recommends regular soil wetting agent applications during the growing season.

Product timing is a suggestion only; optimize application for local weather and field conditions. Confirm active status of product registration in your state before using; not all products are registered in all states. Application Rate/1,000 sq. ft. is based on maximum label rate or range. Plant health benefits related to root strength, stress tolerance, resiliency and growth efficiency are specific to those BASF products containing pyraclostrobin.

Always read and follow label directions.

Encartis is a trademark, and Intrinsic, Lexicon, Navicon and Xzemplar are registered trademarks of BASF. Signature is a trademark, and 26GT and Stressgard are registered trademarks of Bayer Environmental Science. Fore and Rainshield are registered trademarks of Corteva. Daconil, Medallion and Weatherstik are registered trademarks of Syngenta Professional Products. Segway is a registered trademark of PBI Gordon.

© 2021 BASF Corporation. All Rights Reserved.

RGSP-S21-08/21