

14-28 day program Product Active Ingre-

Warm Season Greens

Focus on Take-All Root Rot South Florida and Puerto Rico

These regions offer optimum year-round temperatures for warm season turfgrass. Greatest stresses include extended cloud cover, tropical moisture and heavy rounds of concentrated play in season. Milder air from the coasts of South Florida and Puerto Rico mitigates the high humidity in these areas, where mid- to late-summer rain can occur daily.

	Timing	Product	Active Ingredient	Rate/1,000 sq. ft.	Key Diseases & Benefits
1	Aug	Encartis™ fungicide	boscalid + chlorothalonil	4.0 fl oz	Algae, leaf spots, tropical weather protection
2	Sept	Navicon® Intrinsic® brand fungicide	pyraclostrobin + mefentrifluconazole	0.85 fl oz (water-in¹)	Leaf spots, take-all root rot, tropical weather protection
		Signature™ XTRA Stressgard® fungicide + Daconil® WeatherStik® fungicide	fosetyl-Al (aluminum-tris) + chlorothalonil	SLR ² (Standard Local Rate)	
3	Oct	Maxtima® fungicide	mefentrifluconazole	0.6 fl oz (water-in)	Leaf spots, take-all root rot
		Signature XTRA Stressgard fungicide + Daconil WeatherStik fungicide	fosetyl-Al (aluminum-tris) + chlorothalonil	SLR	
4	Nov	Lexicon® Intrinsic brand fungicide	pyraclostrobin + fluxapyroxad	0.47 fl oz (water-in)	Leaf spots, take-all root rot, winter protection
		Fore® 80WP Rainshield® specialty fungicide	mancozeb	SLR	
5	Dec	Lexicon Intrinsic brand fungicide	pyraclostrobin + fluxapyroxad	0.47 fl oz (water-in)	Leaf spots, Microdochium Patch
		Segway® fungicide	cyazofamid	SLR	Pythium (if needed)
6	Jan	Signature XTRA Stressgard fungicide + 26GT® fungicide	fosetyl-Al (aluminum-tris) + iprodione	SLR	Leaf spots, Microdochium Patch
		Segway fungicide	cyazofamid	SLR	Pythium (if needed)
7	Feb	Navicon Intrinsic brand fungicide	pyraclostrobin + mefentrifluconazole	0.85 fl oz (water-in)	Fairy ring, leaf spots, Microdochium patch, take-all root rot
		Secure fungicide + 26GT fungicide	fluazinam + iprodione	SLR	
8	Mar	Lexicon Intrinsic brand fungicide	pyraclostrobin + fluxapyroxad	0.47 fl oz (water-in)	Fairy ring, leaf spots, Microdochium patch, take-all root rot
9	Apr	Mirage® Stressgard fungicide	tebuconazole	SLR (water-in)	Fairy ring, leaf spots, take-all root rot
10	May	Xzemplar [®] fungicide	fluxapyroxad	0.26 fl oz (water-in)	Fairy ring, leaf spots
		Signature XTRA Stressgard fungicide + Daconil WeatherStik Fungicide	fosetyl-Al (aluminum tris) + chlorothalonil	SLR	
11	Jun	Lexicon Intrinsic brand fungicide	pyraclostrobin + fluxapyroxad	0.47 fl oz (water-in)	Fairy ring, leaf spots, mini ring, summer stress
12	Jul	Xzemplar fungicide	fluxapyroxad	0.26 fl oz (water-in)	Fairy ring, leaf spots, mini ring
		Medallion® fungicide + Daconil WeatherStik fungicide	fludioxonil + chlorothalonil	SLR	

Multiple products listed per month are meant to be a rotational option to control additional disease pressure that may occur.

Product timing is a suggestion only; optimize application for local weather and field conditions. Confirm active status of product registration in your state before using; not all products are registered in all states. Application Rate/1,000 sq. ft. is based on maximum label rate or range. Plant health benefits related to root strength, stress tolerance, resiliency and growth efficiency are specific to those BASF products containing pyraclostrobin.

Always read and follow label directions.

Encartis is a trademark, and Intrinsic, Lexicon, Maxtima, Navicon and Xzemplar are registered trademarks of BASF. Signature is a trademark, and 26GT, Mirage and Stressgard are registered trademarks of Bayer Environmental Science. Fore and Rainshield are registered trademarks of Corteva. Daconil, Medallion, Secure and Weatherstik are registered trademarks of Syngenta Professional Products. Segway is a registered trademark of PBI Gordon.

¹ Recommended application spray volume is 2-4 gallons/1000ft². Provide 1/4" irrigation post application. To improve hydrophobic conditions and improve fungicide efficacy, BASF recommends regular soil wetting agent applications during the growing season.

² Standard local rate for the products shown; consult label and/or local extension for regional recommendations